



# Texas School for the Blind and Visually Impaired Outreach Programs

[www.tsbvi.edu](http://www.tsbvi.edu) | 512-454-8631 | 1100 W. 45<sup>th</sup> St. | Austin, TX 78756

---

## Active Learning Study Group

January 6, 2015

3:00-4:00 PM

Presented by

Kate Hurst, Statewide Staff Development Coordinator

[hurstk@tsbvi.edu](mailto:hurstk@tsbvi.edu)

Matt Schultz, Deafblind Education Consultant

[schultzm@tsbvi.edu](mailto:schultzm@tsbvi.edu)

Developed for

Texas School for the Blind & Visually Impaired

Outreach Programs



# Active Learning Study Group for January 6, 2015

## Early Learning Step-by-Step

Presenters: Kate Hurst and Matt Schultz, TSBVI Outreach

### Chapter 6: Learning to Chew

#### Learning to Chew Typical Development

- Sucks hand at birth
- Within 10-20 hours will suck nipple
- Soon after will suck pacifier and other things
- Begins to explore with lips and tongue
- Begins to splutter and learns to purse lips
- Rubs gums as teething begins
- Learns to move tongue from side-to-side and bite
- Learns to keep food in mouth while chewing and swallowing
- Improves mouth motor skills needed for babbling

#### Learning to Chew VIMD Development

- May be unable to bring hand to mouth
- (May not be fed by mouth)
- May have extended time with liquids or blended food
- May be fed by others for extended time
- May be fearful of objects placed in mouth other than food or spoon

#### Ideas for Intervention

- Work on mouth motor activities outside of feeding/eating times
- Establish environments that allow the child to mouth objects even if unable to bring hand to mouth
- Respect need for rest and repetition
- Place same object in child's hand that adult brings to child's mouth to encourage movement of hands toward midline
- Don't have objects too big for mouth (but remember safety)
- Use objects with a variety of tastes, shape, size, texture, temperature, weight, etc.
- Introduce lip smacking, tongue clicking, whistling, blowing a piece of silk paper, drinking through a straw, imitating animal sounds, licking honey from a tray, drinking juice like a cat
- Introduce some solid food at end of meals when child begins to chew

#### Environments and Toys

- Cloth bag of potato flour make sound near cheek and move to mouth
- Water pipe (straw?) placed near lips to lick
- Water pipe moved along teeth to encourage left to right tongue movement
- Plastic pipe of chop stick between teeth and towards cheek left to right
- Small objects like buttons, rings, beads placed inside mouth with string to secure

- Use harmonica and flutes to learn to blow
- Use straws in liquid or soapy liquid to blow bubbles
- Glass marbles in mouth move from side to side – probably not a good idea at schools in USA

## References

Neilsen, Lilli, *Early Learning Step by Step*, Chapter 4, pps. 63-93

Neilsen, Lilli, *Functional Scheme*, pp. 10-21 and 30-34

Neilsen, Lilli, *FIELA Curriculum*

## Planning for Next Year

- Do you want to have another Active Learning Study Group?
- What materials should we focus on?
- How can we make it more interactive?

## Texas School for the Blind & Visually Impaired Outreach Programs



Figure 1 TSBVI logo.



This project is supported by the U.S. Department of Education, Special Education Program (OSEP). Opinions expressed here are the authors and do not necessarily represent the position of the Department of Education.

Figure 2 IDEAs that Work logo and OSEP disclaimer.